

E Series E560P

4K PTZ PoE Camera with Person/Vehicle Detection, Auto Tracking and 3X Optical Zoom

- Pan, Tilt & 3X Optical Zoom
- 4K 8MP Ultra HD
- Auto Tracking

Specifications

| Video & Audio | |
|-----------------------|---|
| Image Sensor | 1/2.8" CMOS sensor |
| Resolution | 3840x2160 (8 Megapixels) @25fps |
| Lens | f=2.8-8mm, Max: F1.6/IR CUT |
| Video Format | |
| Field of View | Horizontal: 90°-50°; Vertical: 53°-30° |
| Zoom | 3x optical zoom |
| Pan/Tilt Angle | Pan: 355°, Tilt: 50° |
| Day & Night | IR-cut filter & auto-switching |
| Infrared Night Vision | 12 Meters (LED: 10pcs/1.4w/14mil/850nm) |
| Spotlight | 12m (40ft) (4pcs, 3.3w, 6500K) |
| Audio | Built-in microphone and speaker |
| Interface | |
| Power | DC12V/1A & PoE (IEEE 802.3af) |

| | |
|----------------------------|--|
| System | Reset Button |
| Network | One 10M/100Mbps; RJ45 |
| Storage | Supports Max. 256GB microSD card; Reolink NVR |
| Software | |
| Frame Rate | 2-25FPS (Default: 25FPS) |
| Code Rate | Main stream: 2048Kbps - 8192Kbps (default: 6144Kbps); Sub stream: 64Kbps - 512Kbps (default: 256Kbps) |
| Browsers Supported | Edge, Chrome, Firefox, Safari |
| OS Supported | PC: Windows, Mac OS; Smartphone: IOS, Android |
| Smart Alarm | Motion detection; AI detection |
| Recording Modes | Motion-triggered recording; Scheduled recording, 24/7 recording |
| Protocols & Standards | HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P, ONVIF |
| User Access | 20 users (1 admin account & 19 user & administrator accounts); up to 12 simultaneous video streams (10 substreams & 2 mainstreams) |
| Linked Devices | YES |
| Work with | Google Assistant |
| Working Environment | |
| Operating Temperature | -10°C~55°C (14°F~131°F) |
| Operating Humidity | 10% ~ 90% |
| Weatherproof | IP65 |
| Size & Weight | |
| Dimensions | Φ90*120mm |
| Weight | 458g |
| Warranty | |

Limited Warranty

2-year limited warranty. For support, visit <https://support.reolink.com/hc/en-us/>.

Gallery & Specs



1. Daylight Sensor
2. Spotlight
3. Lens
4. IR LED
5. Status LED



1. microSD Card Slot
2. Power
3. Network
4. Power Cable
5. Speaker

www.reolink.com